



PRODUCT CATALOG

LEGENDARY PERFORMANCE FORMULAS SINCE 1921

With over 175 years of combined experience developing and formulating American-made chemical solutions for repair, automotive longevity, and performance enhancement.

Not sure what you need?




Contents

| | |
|--|-----------|
| Cover | 1 |
| Contents | 2 |
| History | 3 |
| The History of Bar's Leaks | 3 |
| The History of Rislone | 4 |
| The History of Hy-per Lube | 5 |
| Graphics Key | 6 |
| Fuel Products | 7 |
| What is Your Fuel Problem? | 7 |
| What is Your Fuel and/or Emissions Problem? | 8 |
| Gas & Diesel Fuel Products | 9 |
| Cooling System, Block Seal and Head Gasket Products | 11 |
| What is Your Cooling, Block or Head Gasket Problem? | 11 |
| What is your Cooling System Problem? | 12 |
| Block Seal & Head Gasket Products | 14 |
| Cooling System Products | 15 |
| Engine Oil Products | 18 |
| What is Your Engine Problem? | 18 |
| Engine Oil Products | 20 |
| Transmission Products | 25 |
| What is Your Transmission Problem? | 25 |
| Transmission Products | 27 |
| Power Steering Products | 30 |
| What is Your Steering Problem? | 30 |
| Power Steering Products | 31 |
| Jack & Hydraulic Products | 33 |
| What is Your Jack or Hydraulic Problem? | 33 |
| Jack & Hydraulic Products | 34 |
| Gear Repair Products | 35 |
| What is Your Gear Problem? | 35 |
| Gear Repair Products | 36 |
| Contact Us | 37 |



**Stop Leaks.
Not Life.**



The History of Bar's Leaks

1947 – Bar's Leaks founded in California by Fred Barton (1907-1975), whom discovers a unique ingredient called RHIZEX to stop radiator leaks. RHIZEX is later awarded a patent by the U.S. Trademark and Patent Office.

1950 – Bar's Leaks enters the traditional automotive aftermarket: jobbers, warehouses, and repair garages. The products debut in glass bottles.

1958 – During the legendary trip of the nuclear submarine USS Nautilus, Bar's Leaks is used to stop a hidden leak in one of the vessel's nuclear reactor steam condensers. The treatment was successful and allowed the submarine to complete its historic mission as the first submarine to travel under the North Pole.

1965 – Bar's Leaks enters the retail auto aftermarket. Its products are found in major US auto parts retailers to this day.

1996 – Bar's Leaks introduces three revolutionary products: Engine, Transmission and Power Steering stop leak solutions.

1999 – Bar's Leaks Jack Oil with Stop Leak developed and introduced to the market. It's the first and still the only product of its kind known in the world.

2003 – Bar's Leaks introduces the world's first clear, dual-cavity bottle.

2004 – Bar's Leaks revolutionizes the block seal stop leak category with the introduction of its head gasket repair product line, known and respected by mechanics everywhere.

2006 – Bar's Products, Inc., the parent company of Bar's Leaks, acquires Rislone, Inc. and adds its technology and products to its catalog.

2008 – Bar's Leaks introduces Liquid Copper Block Seal, which uses a suspended formula while being completely antifreeze compatible.

2010 – Bar's Leaks launches its strongest pro-grade head gasket sealant: Carbon Fiber Block Seal. The product rapidly becomes the industry benchmark for chemical-based, professional-quality head gasket repair products.

2012 – Bar's Leaks unveils its dual cavity fuel treatment, which includes an innovative patent spout.

2018 – Bar's Leaks develops the first all in one stop leak product that works in Engine, Transmission, Power Steering, Gear and Hydraulic systems.



We are a team of enthusiasts and experts who create memorable experiences with each and every one of our customers.



Stop Leaks. Not Life.

The History of Rislone

Founded in 1921 by the Shaler Company, Rislone was one of the original automotive chemical additives.

Along with the engine performance benefits, Rislone was instrumental in coining one of the most common phrases in automotive vernacular: The Tune-up. In the late 1930s, Shaler developed a training system for mechanics called the Shaler Rislone Tune-Up System. The benefits of a Tune-Up to both customer and service provider were numerous. By enhancing a regular oil change with the addition of Rislone and Karbout, a Shaler product for cleaning carburetors, the mechanic was able to guarantee the customer "Feelable Improvement" in the car's performance. Locations that followed the system were designated as "Authorized Tune-Up Service Stations."



During the 1940s and 50s, Rislone was offering a "Money-Back Guarantee of Smooth-Driving Satisfaction."

Advertisements in publications such as Life and The Saturday Evening Post challenged drivers to add Rislone during an oil change, and then drive 10 miles. If the beneficial effects of the additive were not felt within 10 miles, they could return to the dealer for a full refund. Of the more than 20 million guarantee cards issued with the purchase of Rislone, fewer than one half of one percent were returned for a refund.

Perhaps the most famous user of Rislone was Admiral Richard Byrd during his expedition to the South Pole. A letter sent from the expedition's supply officer to the Rislone distributor, along with an unused can from the trip, states that, "... as our expedition was the first in the history of Antarctic exploration to use, successfully, completely mechanized transport – which consisted of three Citroen tractors, a Cletrac 30-40 and two Ford snowmobiles – Shaler should be proud to be an undoubted factor in making for this success."

Rislone – Modernizing a Legendary Brand

Bar's Products, Inc. announced its purchase of the Shaler Company and Rislone name brand in May of 2006. The goal was to maintain the integrity of the original Rislone formula while updating and expanding the line of Rislone products to cover other automotive applications.

As popular as ever, Rislone Engine Treatment still provides penetrating lubrication and contains a proprietary additive package to remove sludge and prevent harmful engine deposits from forming. Additionally, wear protection and improved engine cleanliness can be expected. Rislone is fully compatible with all petroleum – based and synthetic motor oils.

With 100 years of business knowledge and experience, the product catalog includes a full line of modern Rislone concentrated products, compression repair solutions, engine & oil treatments, and fuel system (gas, ethanol, and diesel) additives for all vehicle owners.

Expect More From Your Additives

The History of Hy-per Lube

Hy-per Lube was originally formulated by Harold Hilton in the early 1950's. Mr. Hilton fabricated high quality valves for a wide variety of industries, including the paper and pulp, electrical power generation, petrochemical and marine. The enormous amount of heat and friction generated by the worm gears within the valves was causing premature wear and failure. Finding no commercially available lubricant that was suitable, Mr. Hilton set out to develop a lubricant that met his needs.

The result was the development of Mr. Hilton's Hy-per Lube, a high film strength, non-foaming, extreme pressure, non-corrosive, oil supplement. The name Hy-per Lube is found on the shelves of most automotive parts stores and distributors in the country. Hy-per Lube has a proven record of providing maximum performance and ultimate protection in millions of engines for over 50 years.

In 2017, the legendary Hy-per Lube brand joined the Rislone family of acclaimed performance, maintenance, and longevity products that repair, restore, and renew vehicle systems. Hy-per Lube products are now known as Rislone Hy-per family, and the lineup of solutions is better than ever. These products represent the very best of Rislone's 100-year track record in the automotive performance and maintenance industry.

Proven Technology. Hy-per Performance.

Hy-per Lube™

Hy-per Cool™

Hy-per Diesel™

Hy-per Fuel™




**We don't
make motor
oil; we make
motor oil
better!**



Graphics Key


Components Graphics Key

Bar's Leaks and Rislone products all fit within product categories and are graphically displayed by a particular icon and color, listed below.




Results Graphics Key

Results are essential to any product. These icon graphics outline the 'What It Does' for each product, listed below.



3-Minute Mechanic Icons Key

Our products have been making "three-minute mechanics" out of people for decades, for all types of vehicles and all types of leaks. There's expertise needed, which means you can skip the expensive trip to the mechanic..



What is Your Fuel Problem?



Product Selector

| | 4700 | 4701 | 4732 | 4740 | 4747 |
|---|------------------------------|-----------------------------------|----------------------------------|-------------------------------------|----------------|
| | Complete Fuel System Cleaner | Fuel Injector Cleaner Concentrate | Fuel Injector Cleaner Heavy Duty | Diesel Complete Fuel System Cleaner | Octane Booster |
| Dirty Fuel Injectors | ✓ | ✓ | ✓ | ✓ | |
| Engine Knocking or Pinging | | | | ✓ | ✓ |
| Dirty Valves or Combustion Chamber | ✓ | | | ✓ | |
| Clogged Fuel Injectors | ✓ | | | ✓ | |
| Decreased Power & Performance | ✓ | ✓ | ✓ | ✓ | ✓ |
| Noisy Injectors or Fuel Pump | ✓ | ✓ | ✓ | ✓ | |
| Water in Fuel | ✓ | | | ✓ | |
| Bad Fuel | ✓ | | | ✓ | |
| Poor Fuel Lubrication | ✓ | ✓ | ✓ | ✓ | |
| Low Octane Gas – <i>Octane Booster</i> | ✓ | | | | ✓ |
| Low Cetane Diesel – <i>Cetane Booster</i> | | | | ✓ | |
| Fights Damaging Effects of Ethanol | ✓ | | | | |
| Prevents Gum & Varnish | ✓ | ✓ | ✓ | ✓ | |
| Improves Quality of Fuel | ✓ | ✓ | ✓ | ✓ | ✓ |
| Prevents Icing and Fuel line Freeze-up | ✓ | | | ✓ | |
| Use Street, Racing, Supercharged & Turbo | ✓ | ✓ | ✓ | ✓ | ✓ |
| Use with E10, E15, E85 Ethanol | ✓ | ✓ | ✓ | | ✓ |
| Use with E85 Flex Fuel Ethanol | ✓ | ✓ | ✓ | | ✓ |
| Use in Direct Injected Engines | ✓ | ✓ | ✓ | ✓ | ✓ |
| Use with B2, B5, B20 Biodiesel | | | | ✓ | |

What is Your Fuel and/or Emissions Problem?



4720

**CAT Complete™ Fuel,
Exhaust & Emissions
System Cleaner**

4744

**DPF Clean™ Diesel DPF,
Exhaust & Emissions
System Cleaner**

Product Selector

| | | |
|---|---|---|
| Turn off Check Engine Light | ✓ | ✓ |
| Clear P0420 & Other OBD Codes | ✓ | |
| Clear P0242F & other OBD codes | | ✓ |
| Cleans & Restores Catalytic Converter | ✓ | |
| Cleans DPF Filter | | ✓ |
| Pass Emissions Smog Test | ✓ | ✓ |
| Deodorizes Smelly Exhaust | ✓ | |
| Extends DPF Generation Cycles | | ✓ |
| Restore Power & Performance | ✓ | ✓ |
| Dirty Valves or Combustion Chamber | ✓ | ✓ |
| Prevents Gum & Varnish | ✓ | ✓ |
| Improves Quality of Fuel | ✓ | ✓ |
| Use in Street, Racing, Supercharged & Turbo Engines | ✓ | ✓ |
| Dirty/Clogged Fuel Injectors | ✓ | ✓ |
| Use in Direct Injected Engines | ✓ | |
| Use in Indirect Injection, HSDI, TDI, & HPCR Engines | | ✓ |
| Use in GTDI, Ecotec & EcoBoost Engines | ✓ | ✓ |
| Increase Mileage | ✓ | ✓ |
| Reduce HC, CO & NOx Emissions | ✓ | ✓ |
| Use with E10, E15 & E85 Ethanol | ✓ | |
| Use with Diesel, ULSD, Off Road Diesel & B2, B5, B20 Biodiesel Blends | | ✓ |

Gas & Diesel Fuel Products



P/N 4700 Complete Fuel System Cleaner

Improves the quality of gas by increasing its cleaning ability, adding lubrication, removing contaminants, reducing spark knock, and helping to prevent the fuel from going bad. This one dual cavity bottle contains the same amount of additives equal to a bottle of regular injector & complete fuel system cleaner, upper cylinder lubricant, fuel stabilizer & conditioner, dry gas, gas treatment and octane booster. Product includes a specially designed spout which allows it to be poured into all gas tanks, include those that use a capless (no fuel cap) system. Premium P.E.A. Polyetheramine New Generation Detergent Patented Formula is a multifunctional additive improving the quality of gasoline. Dual clean-up and keep clean formula remove injector, combustion chamber and intake valve deposit which restores lost power and improves fuel economy.

DOSAGE: In a nearly full tank or add to tank and then fill with up to 18 gallons of gas. For smaller tanks from 5 to 10 gallons, use 1/2 bottle pouring equal amounts from each side. Larger tanks use one bottle for every 16 gallons of gasoline.

SIZE: 16.9 FL OZ

CASE PACK: 4

WHAT IT DOES:



P/N 4701 Fuel Injector Cleaner Concentrate

This complete fuel system tune-up helps eliminate noisy injectors & fuel pumps, rough idle, hard starting and hesitation. High performance additives maximize power, performance, mileage and helps save gas by cleaning & lubricating fuel injectors. Premium P.E.A. Polyetheramine New Generation Detergent Patented Formula is a multifunctional additive improving the quality of gasoline.

DOSAGE: One bottle is concentrated to treat up to 20 gallons of gasoline or diesel fuel. For small engines, use 1/4 bottle for every 5 gallons.

SIZE: 6 FL OZ

CASE PACK: 12

WHAT IT DOES:



P/N 4732 Fuel Injector Cleaner Heavy Duty

This complete fuel system tune-up helps eliminate noisy injectors & fuel pumps, rough idle, hard starting and hesitation. High performance additives maximize power, performance, mileage and helps save gas by cleaning & lubricating fuel injectors. Premium P.E.A. Polyetheramine New Generation Detergent Patented Formula is a multifunctional additive improving the quality of gasoline.

DOSAGE: Specifically designed for larger applications. One bottle treats 100 gallons of gasoline or diesel fuel.

SIZE: 32 FL OZ

CASE PACK: 6

WHAT IT DOES:





P/N 4740
Diesel Complete Fuel System Cleaner

Improves the quality of Diesel fuel by increasing its cleaning ability, adding lubrication, removing contaminants, fighting corrosion, and helping to prevent the fuel from gelling & going bad. This one dual cavity bottle contains the same amount of additives equal to a bottle of regular injector & complete fuel system cleaner, anti-gel cold flow improver, fuel stabilizer & conditioner, Cetane booster & diesel treatment, ULSD sulfur substitute, and UCL pump & injector lubricant.

DOSAGE: Use one bottle every 5,000 miles.

SIZE: 16.9 FL OZ

CASE PACK: 4

WHAT IT DOES:



P/N 4747
Super Concentrated Octane Booster

Increases octane rating to stop engine hesitation and knock & ping, while also increasing power & performance. Street legal formula works equally well on classic muscle cars, newer smaller harder working engines, off road and racing applications. Increased octane allows the engine to run optimum spark timing which not only creates more power, but in many engines reduces emissions and increases fuel mileage.

DOSAGE: One bottle is concentrated to treat up to 20 gallons of gasoline.

SIZE: 6 FL OZ

CASE PACK: 12

WHAT IT DOES:



Just YES!

The Rislone Octane booster is the cat's meow. Its more cost effective than auto parts store boosters, actually raises the octane 2 full points (ex. 87 to 89), and is well worth it. Go to their site and it'll explain more and with next level detail. And yes, I read it.

I drive a HEMI powered vehicle. The manual recommends 89. 87 octane is \$.40/gal or more cheaper. At the time of writing this octane booster is \$2.56. I put 20 gal in at a time of 87 octane for an average price of \$90. At 89, my wallet is hit for over \$100. The additional cost of the booster still keeps me under \$100 per tank... for now.

What is the performance value? My truck runs a bit smoother and has a 1.5 mpg increase in economy per gallon. Getting 15.4 over 13.9 mpg adds to the overall value of this product.

I will continue using the octane booster. Thank you Rislone for making a product worth my time.

- Wrecker RC

Gas & Diesel Fuel Products



P/N 4720 CAT Complete™ Fuel, Exhaust & Emissions System Cleaner

Increases power, performance, mileage and saves gas by not only cleaning the entire emissions & exhaust system, but the fuel system as well. Works with gasoline, ethanol, and hybrid vehicles. Regular use every 5,000 miles tunes-up the fuel, emissions and exhaust systems keeping them clean and preventing the CEL light from returning. This also saves on expensive fuel system and emission control repairs. Will not void manufacturer's new vehicle warranty. Specifically, designed, and safe to use on vehicles which have oxygen sensors and catalytic converters. Exceeds EPA compliance performance criteria. Works on all fuel injected, direct injected, carbureted, turbo, GTDI, Ecotec® & EcoBoost® engines.

DOSAGE: Use one bottle when tank is 1/2 full (trucks 1/4 full).

SIZE: 16.9 FL OZ

CASE PACK: 3

WHAT IT DOES:



P/N 4744 DPF Clean™ Diesel DPF, Exhaust & Emissions System Cleaner

Heavy duty formula works equally well in trucks, SUV's and passenger car diesel applications. Increases power, performance, mileage and saves fuel by not only cleaning the entire emissions & exhaust system, but the fuel system too. Works with all diesel fuels including ULSD, biodiesel and off road diesel. Regular use every 5,000 miles tunes-up the fuel, emissions and exhaust system keeping clean and prevents excessive exhaust regeneration and the CEL light from returning. Will not void manufacturer's new vehicle warranty. Specifically designed and safe to use on vehicles which have catalytic converters, DPF particulate filters or DEF systems. Exceeds EPA compliance performance criteria.

DOSAGE: 1/4 to 1/2 tank Truck (1/2 to 3/4 Car)

SIZE: 16.9 FL OZ

CASE PACK: 4

WHAT IT DOES:



Check Engine Light Did turn off shortly after!!

My car has a faulty sensor and I have had check engine light on for a couple years. There is nothing else wrong and I didn't want to have to replace sensor... so of course easier to let it be. My state requires emission testing every 2 years, so I tried another product, Guaranteed Emissions. Followed the instructions, but my check engine light was still on so I purchased this product. Followed the instructions, and my check engine light indeed shut off as promised. Easy to use and I would recommend. Not sure if it was the two products together or just this one, I also disconnected my battery and reconnected it. It's been 150 miles and light is still off.

– Jessica B.

What is Your Cooling, Block or Head Gasket Problem?



Product Selector

| | 1100 Block Seal Head Gasket Sealant | 1109 Block Seal Liquid Copper Intake & Radiator Stop Leak | 1111 Block Seal Head Gasket Fix | HG-1 Head Seal™ Blown Head Gasket Repair |
|---|---|--|---------------------------------------|--|
| Small Leaks – Need to Add Coolant 1 X per Week | ✓ | ✓ | ✓ | ✓ |
| Medium Leaks – Need to Add Coolant 1 X per Day | ✓ | ✓ | ✓ | ✓ |
| Large Leaks – Need to Add Coolant 1 X per Hour | ✓ | ✓ | ✓ | ✓ |
| Blown Head Gasket | ✓ | | ✓ | ✓ |
| Pushing Out Coolant | ✓ | | ✓ | ✓ |
| Bubbles in Coolant | ✓ | | ✓ | ✓ |
| Over Pressurizing / Combustion Gasses | ✓ | | ✓ | ✓ |
| White Exhaust Smoke | ✓ | | ✓ | ✓ |
| Overheating | ✓ | | ✓ | ✓ |
| Intake Manifold & Block Leaks | ✓ | ✓ | ✓ | ✓ |
| Radiator | ✓ | ✓ | ✓ | ✓ |
| Heater Core | ✓ | ✓ | ✓ | ✓ |
| Coolant to Oil Leaks | | | | ✓ |
| Compatible with ALL Types of Antifreeze | | ✓ | ✓ | ✓ |

What is Your Cooling System Problem?



Product Selector

| | 1150 High Mileage Cooling System Repair | 1186 Liquid Aluminum Radiator & Heater Core Stop Leak | 1196 Radiator Stop Leak Concentrate | HDC Radiator Stop Leak Tablets |
|--|--|--|--|-----------------------------------|
| Small Leaks – Need to Add Coolant 1 X per Week | ✓ | ✓ | ✓ | ✓ |
| Medium Leaks – Need to Add Coolant 1 X per Day | ✓ | ✓ | | ✓ |
| Compatible with All Types of Antifreeze | ✓ | ✓ | ✓ | ✓ |
| Overheating | ✓ | ✓ | | |
| pH Related Electrolysis | | | | ✓ |
| Noisy Pump / Water Pump Lube | ✓ | | | ✓ |
| Radiator Leaks | ✓ | ✓ | ✓ | ✓ |
| Heater Core Leaks | ✓ | ✓ | ✓ | ✓ |
| Tank Seam Seal Leak | ✓ | ✓ | | ✓ |
| Core “Freeze” Plug Leaks | ✓ | ✓ | | ✓ |
| Leaky Head Bolt Threads | | | | ✓ |
| Other Internal & External Leaks | | | | ✓ |

What is Your Cooling System Problem?



Product Selector


HFL400
Radiator Cleaner & Super Flush

HPC100
Super Coolant

PLT11
Pelletized Radiator Stop Leak

| | | | |
|---|---|---|---|
| Small Leaks – Need to Add Coolant 1 X per Week | | | ✓ |
| Medium Leaks – Need to Add Coolant 1 X per Day | | | ✓ |
| Compatible with All Types of Antifreeze | ✓ | ✓ | ✓ |
| Overheating | | ✓ | |
| pH Related Electrolysis | | ✓ | ✓ |
| Noisy Pump / Water Pump Lube | ✓ | ✓ | ✓ |
| Radiator Leaks | | | ✓ |
| Heater Core Leaks | | | ✓ |
| Tank Seam Seal Leak | | | ✓ |
| Core “Freeze” Plug Leaks | | | ✓ |
| Leaky Head Bolt Threads | | | ✓ |
| Other Internal & External Leaks | | | ✓ |

Block Seal & Head Gasket Products



P/N 1100 Block Seal Head Gasket Sealant

Scientifically formulated to permanently seal coolant leaks that are the cause of most overheating problems. This product is a blend of aramid and refractory fibers giving the strength of a bullet proof vest and the heat resistance of fire-proof clothing. As these particles penetrate a crack or the blown head gasket area, they lock together and bond forming a hard permanent ceramic type seal.

DOSAGE: Use one bottle for 2-6 gallon cooling capacity.

SIZE: 20 OZ NET WT

CASE PACK: 4

WHAT IT DOES:



P/N 1109 Block Seal Liquid Copper Intake & Radiator Stop Leak

One step formula permanently repairs coolant loss problems on cars, trucks, vans, SUV's and RV's. Antifreeze compatible sodium silicate liquid glass penetrates large and small leaks in plastic, aluminum and cast iron heads, blocks, intake manifold & gaskets, freeze plugs, heater cores and radiators. Fiber additives lock together with liquid to increase strength and promote a permanent seal.

DOSAGE: One bottle treats cooling systems up to 6 gallons.

SIZE: 18 OZ NET WT

CASE PACK: 4

WHAT IT DOES:



P/N 1111 Block Seal Head Gasket Fix

One step formulation contains a combination of antifreeze compatible sodium silicate sealing liquid and various size gasket sealing particles which penetrate gaps and cracks then harden to permanently stop leaks. This works because of the extreme heat inside the combustion chamber that acts as a catalyst to permanently harden the material to make it stronger than the actual head gasket itself.

DOSAGE: One bottle treats cooling systems from 8 quarts (2 gallons) to 16 quarts (4 gallons). Use 1/2 bottle for cooling systems from 4 quarts (1 gallon) to 7.9 quarts (1.99 gallons). For larger systems use one bottle for every 4 gallons of cooling system capacity.

SIZE: 24 OZ NET WT

CASE PACK: 4

WHAT IT DOES:



Cooling System Products



P/N HG-1 Head Seal™ Blown Head Gasket Repair

The strongest antifreeze-compatible solution on the market. It penetrates a leaking, damaged or blown head gasket, drying to form a seal that's stronger than the original head gasket itself. The best formula to stop all other coolant leaks in plastic, cast iron, copper and aluminum radiators, heater cores, freeze plugs, gaskets, intake manifolds, cylinder heads and engine blocks. Special formulation contains Xtreme Cool™, which stops overheating and reduces water temperature.

DOSAGE: One bottle treats cooling systems from 2.5 gallons to 5 gallons. Use 1/2 bottle for smaller cooling systems from 1.5 gallons to 2.49 gallons. For larger systems use 1 bottle for every 5 gallons of cooling capacity. In very small systems, use 2 ounces per quart of capacity.

SIZE: 33.8 FL OZ

CASE PACK: 4

WHAT IT DOES:



P/N 1150 High Mileage Cooling System Repair

Twice the performance of other products, by not only stopping cooling system leaks, but adding future protection. It is scientifically formulated to stop coolant leaks, thereby reducing antifreeze loss, while correcting other cooling system problems helping to prevent costly repairs and breakdowns. Contains Xtreme Cool™ which stops overheating and reduces water temperature.

DOSAGE: One bottle treats systems up to 4 gallons.

SIZE: 16.9 FL OZ

CASE PACK: 4

WHAT IT DOES:



P/N 1186 Liquid Aluminum Radiator & Heater Core Stop Leak

Formulated to permanently seal coolant leaks that are the cause of most overheating problems. Not only seal leaks, but conditions the system. Contains Xtreme Cool™ which stops overheating and reduces water temperature. It is guaranteed to seal leaks safely and easily in plastic, aluminum, and metal (copper / steel) radiators, heater cores, gaskets, and freeze plugs. Works in water or all antifreeze coolants.

DOSAGE: Add one bottle for 5, 6, 8 and 10 cylinder engines. Use 1/2 bottle in 3 and 4 cylinder engines. One bottle treats cooling systems from 2.5 gallons to 4 gallons. Use 1/2 bottle for cooling systems from 1.5 gallons to 2.4 gallons. For larger systems use one bottle for every 3 gallons of cooling system capacity. Small engines or other small systems use 4 to 5 fluid ounces per gallon of fluid capacity.

SIZE: 16.9 FL OZ

CASE PACK: 6

WHAT IT DOES:



Cooling System Products



P/N 1196 Radiator Stop Leak Concentrate

Stops and seals antifreeze/coolant leaks. Specially designed to stop minor to moderate cooling system leaks and drips caused by normal cooling system wear and age. It works with ALL types and colors of antifreeze coolant and/or water.

DOSAGE: Use one bottle for regular size cooling systems; this covers most 6 and 8 cylinder passenger vehicles and light trucks. Use 1/2 bottle for 4 cylinder engines. One bottle treats up to 4 gallons. For larger systems use one bottle for every 3 gallons of coolant capacity. Small engines or other small systems use 3 to 4 fluid ounces per gallon of fluid capacity.

SIZE: 11 FL OZ

CASE PACK: 5

WHAT IT DOES:



P/N HDC Radiator Stop Leak Tablets

Inhibits the formation of rust and scale, neutralize pH imbalance, controls electrolysis, lubricates and seals internal, external, and coolant-to-oil leaks. Same tablets as used by many OEM auto and truck manufacturers around the world. Enhances the use of antifreeze or can also be used in water. Harmless to ALL Plastic, Metals, Aluminum, Hoses & Connections.

DOSAGE: One package treats systems up to 3 gallons. For larger systems use 2 (two) tablets per gallon of coolant.

SIZE: 2.1 OZ

CASE PACK: 12

WHAT IT DOES:



P/N HFL400 Radiator Cleaner & Super Flush

Helps your cooling system by removing deposits that build up over time causing overheating. Heavy duty formulation is specially designed to clean solder bloom, oily residue, rust and scale. Contains water pump lubricant and corrosion inhibitors and will not damage the pump.

DOSAGE: Use one 16 FL OZ bottle for every 16 quart of capacity.

SIZE: 16 FL OZ

CASE PACK: 3

WHAT IT DOES:



Cooling System Products



P/N HPC100 Super Coolant

Contains new technology wetting agents which lower the surface tension of the water/coolant mixture, allowing it to improve the heat transfer of your cooling system. This will make your system dissipate more heat more efficiently, reducing engine temperatures by up to 30°F and reduces CHT 75° helping to prevent overheating. Super Coolant lubricates and protects water pump seals, and helps prevent corrosion of ALL metals commonly found in cooling systems, including aluminum.

DOSAGE: One bottle treats up to 20 quarts.

SIZE: 16 FL OZ

CASE PACK: 3

WHAT IT DOES:



P/N PLT11 Pelletized Radiator Stop Leak

Heavy Duty Stop Leak seals internal, external, and coolant-to-oil leaks. It is specially formulated to seal larger leaks better than other stop leak products. Works safely and effectively on plastic, aluminum and metal radiators, heater cores, blocks, heads, gaskets, and freeze plugs. Water Pump Lube lubricates water pump seal and inhibits the formation of rust and scale. Compatible with both conventional silicate-based and extended life (OAT/HOAT) antifreeze, all types, and colors. Can also be used in straight water.

DOSAGE: Use one bottle for 6, 8 and 10 cylinder gas or diesel engines. For 3, 4 and 5 cylinder engines, use 1/2 of liquid and pellets. One bottle treats system up to 4 gallons.

SIZE: 11 FL OZ

CASE PACK: 4

WHAT IT DOES:



Your Products Are Awesome

I used this stuff because I had a chunk of gasket blow out from my water pump and the piece that blew out was big enough to slip a dime inside there. So I was very skeptical on whether or not this stuff would work because I've never had any other stop leak product work for me... and I'm completely shocked because it completely worked, not a single drip came out and it's still holding today. I would just like to say that Bar's Leaks, you are awesome, your products are awesome, and I will recommend them to everyone I know. Thanks again because I really did not want to have to put a new gasket on that water pump.

- Jason Z

What is Your Engine Problem?



Product Selector

| | 1000 High Mileage Engine Repair | 1010 Engine Oil Stop Leak Concentrate | 1040 Rear Main Seal Repair | 1334 One Seal™ Stop Leak | OS-1 Oil Seal™ Engine Oil Burning & Leak Repair |
|---|---------------------------------------|--|----------------------------------|--------------------------------|--|
| Small Oil Leaks – Need to Add Oil 1 X per Month | ✓ | ✓ | ✓ | ✓ | ✓ |
| Medium Oil Leaks – Need to Add Oil 1 X per Week | ✓ | | ✓ | | ✓ |
| Large Oil Leaks – Need to Add Oil 1 X per Day | | | | | ✓ |
| Smoking – Blue Smoke from Exhaust | ✓ | | | | ✓ |
| Oil Consumption – Losing Oil Between Oil Changes | | | | | ✓ |
| Engine Noise – Ticking Lifter, Chatter | ✓ | | | | |
| Loss of Compression – Engine Blow-by | ✓ | | | | |
| Low Oil Pressure | ✓ | | | | |
| Hardened Valve Seals | | | | | ✓ |
| Worn Valve Guides | | | | | ✓ |
| Worn Piston Rings | ✓ | | | | |
| Extends Engine Life | ✓ | | | | |

What is Your Engine Problem?



Product Selector

| | 4102 High Mileage Engine Treatment | 4405 Zinc ZDDP Supplement | 4416 High Mileage Ring Seal Smoke Repair | 4447 High Mileage 4 6 8 Compression Repair | 4471 710 Oil Treatment | HPL201 Oil Supplement |
|--|---|---------------------------------|---|---|------------------------------|-----------------------------|
| Smoking – Blue Smoke from Exhaust | | | ✓ | ✓ | | ✓ |
| Loss of Compression – Engine Blow-by | | | | ✓ | | ✓ |
| Engine Noise – Ticking Lifter, Chatter | ✓ | | ✓ | ✓ | ✓ | ✓ |
| Low Oil Pressure | | | | ✓ | ✓ | ✓ |
| Sludge Buildup – Reduces Friction & Wear | ✓ | | | | | |
| Worn Piston Rings | | | ✓ | ✓ | | ✓ |
| Low Zinc Oils – Increases ZDDP | | ✓ | | | | |
| Low Power – Increases Engine Performance | | ✓ | | ✓ | ✓ | ✓ |
| Reduce Friction & Heat | ✓ | ✓ | | | | ✓ |
| Extends Engine Life | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Lubricates | ✓ | ✓ | | | ✓ | ✓ |
| Protects | ✓ | ✓ | | | ✓ | ✓ |
| Treats Metal | ✓ | ✓ | | | | ✓ |
| Preventative Maintenance | ✓ | ✓ | | | ✓ | ✓ |

Engine Oil Products



P/N 1000 High Mileage Engine Repair

Contains a combination of the best performance additives to repair the most common oil-related problems. Restores lost compression and power, reduces noise and oil consumption while improving the performance of worn cylinders, rings, bearings, and seals. Compatible with ALL types of engine oils, including petroleum, semi-synthetic, synthetic and high-mileage formulas.

DOSAGE: One bottle treats 4 to 6 quarts of oil.

SIZE: 16.9 FL OZ

CASE PACK: 4

WHAT IT DOES:



P/N 1010 Engine Oil Stop Leak Concentrate

Specially designed to stop seal and gasket leaks caused by normal engine wear and age. Works with ALL gasoline and diesel engines using conventional, high-mileage and synthetic engine oil.

DOSAGE: One bottle treats up to 5 quarts of oil.

SIZE: 11 FL OZ

CASE PACK: 6

WHAT IT DOES:



P/N 1040 Rear Main Seal Repair

Restores the seal to like new condition and also contains additives to stop leaks in severely worn seals and crankshafts. Compatible with all petroleum based engine oils including high-mileage and synthetic. Works with ALL vehicle types including gasoline, diesel and turbocharged. Specifically designed to seal rear main leaks, but also works better than a conventional stop leak on all other leaks. This includes the timing cover seal, cam seals, O-Rings and other gaskets.

DOSAGE: One bottle treats 4 to 6 quarts of oil.

SIZE: 16.9 FL OZ

CASE PACK: 6

WHAT IT DOES:



Engine Oil Products



P/N 1334
One Seal™ Stop Leak

Multipurpose stop leak effectively seals all minor engine oil, transmission and power steering system leaks. It's specifically designed to stop seal and gasket leaks caused by normal wear and age.

DOSAGE: One bottle will treat one engine oil, transmission fluid or power steering fluid system leak.

SIZE: 11 FL OZ

CASE PACK: 5

WHAT IT DOES:



P/N OS-1
Oil Seal® Engine Oil Burning & Leak Repair

Your vehicle is a good candidate for Bar's Oil Seal Engine Oil Burning & Leak Repair if it does not consume more than one quart of oil per day. We have designed this product to work in all gasoline and diesel engines including turbocharged, EcoBoost™, hybrid and even racing engines. This covers 3, 4, 5, 6, 8 and 10 cylinder engines in all cars, trucks, vans and SUV's. Our product can also be used in heavy-duty applications referencing the appropriate dosage level. This applies to a wide range of other motor applications too: tractors, boats, RV's, motorcycles (including wet clutch), ATV's, lawn equipment.

DOSAGE: One bottle treats oil capacity from 4.5 to 7 quarts.

SIZE: 16.9 FL OZ

CASE PACK: 4

WHAT IT DOES:



It Works

The engine is an old Chevy 350 182,400 miles. It's going to be leaking oil and it did. After 2 applications your oil seal sure did the trick. I think of it as part of this old truck's maintenance schedule. I'll be adding a bottle every other oil change. It works!

- Dan L

Engine Oil Products



P/N 4102 High Mileage Engine Treatment

High quality penetrating lubrication oil, combined with protective engine additives and special cleaning agents. Multi-grade formula allows the oil to flow freely and provides protection over a broader temperature range. Designed to penetrate into bearing surfaces, piston rings and ring grooves, where sludge and varnish is likely to form. Regular use of Rislone Engine Treatment, with oil and filter changes at the proper intervals, will keep such deposits to a minimum. A cleaner engine is a better lubricated engine with less friction & wear.

DOSAGE: In passenger car and light truck engines, use one bottle for a 4 to 6 quart system. For larger systems, stationary engines, and diesel trucks, use 1 bottle for every 5 quarts of oil capacity.

SIZE: 16.9 FL OZ

CASE PACK: 5

WHAT IT DOES:



P/N 4405 Zinc ZDDP Supplement

Petroleum oil performance “booster” containing ZDDP (zinc dialkyldithiophosphate) Zinc and Phosphorous EP (extreme pressure) additives along with mixed esters to help protect internal engine components including pistons, flat tappet camshafts, lifters, pushrod tips and the rest of the valve train. High performance formula stabilizes the motor oil to insure against viscosity and thermal breakdown. Reduces friction & wear, especially at start-up, helping to eliminate dry starts. Less friction means less wear and a cooler running, longer lasting engine. Clinging action keeps bearings and other internal engine parts lubricated where normal oil fails.

DOSAGE: Gasoline Engines (Cars & Light Trucks): 1996 and older – Add one bottle to engine crankcase; 1997 to 2004 – Add approximately 1/2 bottle (5.5 FL OZ) to engine; 2005 and newer – Add approximately 1/4 bottle (2.75 FL OZ) to engine. **Diesel Engines (Light, Medium & Heavy-Duty):** 2006 and older – Add one bottle to engine crankcase for every 4 to 6 quarts of oil capacity; 2007 and newer – Add 1/2 bottle to engine.

SIZE: 11 FL OZ

CASE PACK: 6

WHAT IT DOES:



P/N HPL201 Oil Supplement

A extreme pressure lubricant which greatly enhances your oil's ability to cushion and absorb mechanical shock. Will reduce lifter and drivetrain noise and also provides added protection between oil changes and will extend the life of your oil by up to 50%. When used under normal driving conditions you can extend your drain intervals up to a total of 7,500 miles. This product is a 100% Petroleum based formula, will not void new car warranty and compatible with all petroleum and synthetic oils.

DOSAGE: GASOLINE ENGINES (Cars & Light Trucks) Replace 1 quart of oil with 1 quart of Hy-per Lube in 4 to 6 quart systems. Larger systems use 20% by volume. (Up to 2 quarts in worn high mileage engines) **DIESEL ENGINES (Light, Medium & Heavy-Duty)** 10% by volume.

SIZE: 32 FL OZ

CASE PACK: 3

WHAT IT DOES:



Engine Oil Products



P/N 4416 High Mileage Ring Seal Smoke Repair

Formulated to help stop blue exhaust smoke, reduce oil burning and prevent plug fouling caused from "blow-by". Blow-by is usually caused by gaps in internal engine parts resulting from excess wear. Contains high-shear polymers which provide a seal for worn pistons and rings to stop blow-by. High-mileage formula is specifically designed for older higher mileage engines. Viscosity improver cushions and coats engine parts helping to reduce wear and quiet noisy engines. All weather formula retains oil flow characteristic in hot and cold weather.

DOSAGE: One bottle treats 4 to 6 quarts of oil for regular 4, 6 and 8 cylinder engines

SIZE: 16 FL OZ

CASE PACK: 5

WHAT IT DOES:



P/N 4447 High Mileage 4 6 8 Compression Repair

Proprietary blend of high-shear and premium polymers developed for higher mileage engines that are suffering from decreased or uneven compression. Low compression can be caused by normal engine wear and decreased sealing between the piston rings and cylinder walls. The non-dispersant olefin copolymers fill scratches & grooves in cylinder walls to increase and stabilize compression in all cylinders. Renews worn engines, rebuilds compression, restores lost power and repairs engine blow-by.

DOSAGE: One bottle treats 4 to 6 quarts of oil.

SIZE: 16.9 FL OZ

CASE PACK: 12

WHAT IT DOES:



P/N 4471 710 Oil Treatment

High-viscosity formula developed for older and higher mileage engines to increase all oil film thickness, building a thicker oil cushion and increasing oil pressure in worn engines. Protects against engine wear. Quiets noisy engines & lifters. Increases oil pressure & power.

DOSAGE: One bottle treats 4 to 6 quarts of oil.

SIZE: 15 FL OZ

CASE PACK: 12

WHAT IT DOES:



What is Your Transmission Problem?



Product Selector

| | 1334 One Seal™ Stop Leak | 1400 High Mileage Transmission Repair | 1414 CVT Transmission Fix™ |
|---|--------------------------------|---|----------------------------------|
| Small Fluid Leaks – Need to Add Fluid 1 X per Month | ✓ | ✓ | ✓ |
| Medium Fluid Leaks – Need to Add Fluid 1 X per Week | | ✓ | ✓ |
| Slipping / Hesitation | | ✓ | ✓ |
| Noise / Whining | | ✓ | ✓ |
| Rough / Hard Shifting | | ✓ | ✓ |
| Shutter / Chatter | | ✓ | ✓ |
| Worn Transmission Parts | | ✓ | ✓ |
| Increases Line Pressure | | ✓ | |
| Renews Worn Fluid | | ✓ | ✓ |
| Extends Transmission Life | | ✓ | ✓ |
| Cleans | | ✓ | ✓ |
| Protects | | ✓ | ✓ |
| Reduces Friction & Heat | | ✓ | ✓ |
| High Mileage Formulation | | ✓ | |
| Synthetic Blend Formula | | | ✓ |

What is Your Transmission Problem?



Product Selector

| | 1415 Transmission Fix | 1420 Transmission Stop Leak Concentrate | 4502 High Mileage Transmission Stop Slip with Leak Repair |
|--|--------------------------|---|---|
|--|--------------------------|---|---|

| | | | |
|---|---|---|---|
| Small Fluid Leaks – Need to Add Fluid 1 X per Month | ✓ | ✓ | ✓ |
| Medium Fluid Leaks – Need to Add Fluid 1 X per Week | ✓ | | ✓ |
| Slipping / Hesitation | ✓ | | ✓ |
| Noise / Whining | ✓ | | ✓ |
| Rough / Hard Shifting | ✓ | | ✓ |
| Shutter / Chatter | ✓ | | ✓ |
| Worn Transmission Parts | ✓ | | ✓ |
| Increases Line Pressure | | | ✓ |
| Renews Worn Fluid | ✓ | | ✓ |
| Extends Transmission Life | ✓ | | ✓ |
| Cleans | ✓ | | ✓ |
| Protects | ✓ | | ✓ |
| Reduces Friction & Heat | ✓ | | ✓ |
| Synthetic Blend Formula | ✓ | | ✓ |

Transmission Products



P/N 1334 One Seal™ Stop Leak

Multipurpose stop leak effectively seals all minor engine oil, transmission and power steering system leaks. It's specifically designed to stop seal and gasket leaks caused by normal wear and age.

DOSAGE: One bottle will treat one engine oil, transmission fluid or power steering fluid system leak.

SIZE: 11 FL OZ

CASE PACK: 5

WHAT IT DOES:



P/N 1400 High Mileage Transmission Repair

Reduces rough shifting and friction, while eliminating slip, controlling temperature, and repairing shudder, chatter and whining. Premium high mileage formula restores transmission performance and saves on costly transmission / transaxle repairs. **NOTE: Do not use in CVT.**

DOSAGE: One bottle treats 2 to 3 quarts of transmission fluid.

SIZE: 16.9 FL OZ

CASE PACK: 4

WHAT IT DOES:



P/N 1414 CVT Transmission Fix

CVT (Continuously Variable Transmission) design is fundamentally different from a traditional automatic transmission. Conventional ATF (Automatic Transmission Fluid) and additives cannot be used in these specialized transmissions. Your vehicle is a good candidate for this solution if you are noticing excessive noise, shudder, slipping, leaks, or low overall performance in your CVT. Synthetic blend treatment for the transmission fluid, seals and metal surfaces.

DOSAGE: One bottle treats 6 to 10 quarts of total fluid capacity

SIZE: 11 FL OZ

CASE PACK: 4

WHAT IT DOES:



Transmission Products



P/N 1415 Transmission Fix

A synthetic-blend treatment for the transmission fluid, seals, metal surfaces, bands, and clutch plates. Global domestic / import formulation can be used in all automatic, manual, CVT & DCT transmissions. Contains additives to stop slipping, rough shifting, seal fluid leaks and reduce noise. Trans Fix renews worn fluid and restores older & high mileage transmission performance. Works and safe to use on regular automatic, (step, overdrive transmission, 2WD, 4WD, AWD), DCT, ECT manual, transaxle (front / all-wheel drive).

DOSAGE: One bottle treats transmission systems from 7 to 11 quarts of total fluid capacity. Use a half bottle for fluid capacity from 3 to 6.9 quarts. For larger systems, use 1 bottle for every 9 quarts.

SIZE: 11.5 FL OZ

CASE PACK: 5

WHAT IT DOES:



P/N 1420 Transmission Stop Leak Concentrate

Specially designed to stop seal and gasket leaks caused by normal transmission wear and age. Works with ALL domestic and import, automatic and manual transmission fluids. Safe to use in CVT transmissions.

DOSAGE: Automatic – One bottle treats up to 10 quarts of fluid. For larger systems, use 1 bottle for every 10 quarts of fluid capacity.
Manual – Use approximately 2 ounces per quart of fluid capacity.

SIZE: 11 FL OZ

CASE PACK: 6

WHAT IT DOES:



P/N 4502 High Mileage Transmission Stop Slip with Leak Repair

Contains a special blend of viscosity improvers, anti-wear friction modifiers and extreme pressure performance additives to solve most transmission problems. These additives reduce rough shifting and friction, while eliminating slip, controlling temperature, and repairing shudder, chatter and whining. Excellent to use as a preventative maintenance product. Use to top off existing fluid when low or add a bottle when changing fluid. Specifically designed for higher mileage vehicles over 75,000 miles.

DOSAGE: One bottle to treat 12 to 16 quarts of transmission fluid.

SIZE: 32 FL OZ

CASE PACK: 6

WHAT IT DOES:



What is Your Steering Problem?



Product Selector

| | 1334 | 1600 | 1630 | 4604 |
|---|------------------------|--|--|---|
| | One Seal™ Stop Leak | High Mileage Power Steering Repair | Power Steering Stop Leak Concentrate | High Mileage Power Steering Stop Whine with Leak Repair |
| Small Fluid Leaks – Need to Add Fluid 1 X per Month | ✓ | ✓ | ✓ | ✓ |
| Medium Fluid Leaks – Need to Add Fluid 1 X per Week | | ✓ | | ✓ |
| Noise – Whining, Squeals and Growling | | ✓ | | ✓ |
| Rough / Hard Steering | | ✓ | | ✓ |
| Slack or Loose Steering | | ✓ | | |
| Morning Sickness – Hard or Tight Steering When Cold | | ✓ | | |
| Worn Rack & Pinion | | ✓ | | ✓ |
| Renews Worn Fluid | | ✓ | | ✓ |
| Reduces Friction & Heat | | ✓ | | |
| Extends Steering Life | | ✓ | | ✓ |
| High Mileage Formulation | | ✓ | | ✓ |
| Preventative Maintenance | | | | ✓ |

Power Steering Products



All Cleared Up

I had a power steering unit that would stop working, usually at the worst time! Used Bar's Leaks Power Steering Repair #1600 and the problems cleared up!

- James C

P/N 1334 One Seal™ Stop Leak

Multipurpose stop leak effectively seals all minor engine oil, transmission and power steering system leaks. It's specifically designed to stop seal and gasket leaks caused by normal wear and age.

DOSAGE: One bottle will treat one engine oil, transmission fluid or power steering fluid system leak.

SIZE: 11 FL OZ

CASE PACK: 5

WHAT IT DOES:



P/N 1600 High Mileage Power Steering Repair

A combination of the best performance additives to repair the most common power steering fluid related problems. Can be used to top-off the existing fluid when low, or add a bottle when changing fluid. Works on all vehicles, domestic and import. Compatible with ALL types of power steering fluid or ATF, including petroleum, mineral oil and synthetic formulas.

DOSAGE: One bottle treats 2 to 3 quarts of power steering fluid.

SIZE: 16.9 FL OZ

CASE PACK: 4

WHAT IT DOES:



Power Steering Products



P/N 1630
Power Steering
Stop Leak Concentrate

Designed to stop seal and O-ring leaks caused by normal power steering wear and age. Works on rack & pinion units, gear boxes and pumps. Keeps power steering seals soft and pliable. Non-corrosive, non-clogging and non-foaming. Works with ALL domestic, import and heavy duty power steering fluids; including petroleum, mineral oil, synthetics and ATF automatic transmission fluid.

DOSAGE: One bottle treats up to 3 quarts of fluid.

SIZE: 11 FL OZ

CASE PACK: 6

WHAT IT DOES:



P/N 4604
High Mileage Power
Steering Stop Whine
with Leak Repair

Contains a special blend of viscosity improvers, anti-wear friction modifiers and extreme pressure performance additives to solve most power steering problems. These additives fix hard steering, reduce friction, control temperature, stop noise & whining and repair minor leaks. Excellent to use as a preventative maintenance product. Use to top off existing fluid when low or add a bottle when changing fluid. Specifically designed for higher mileage vehicles over 75,000 miles.

DOSAGE: One bottle treats 1 to 3 quarts of power steering fluid.

SIZE: 11.8 FL OZ

CASE PACK: 6

WHAT IT DOES:



“I had a small annoying leak from my power steering system. Local shop quoted just over \$500 to repair. On a flyer, I tried this at the recommendation of my local automotive store. Worked instantly and cost me under \$10. Leak is gone, and steering is a little easier too. Good product.”

– Jennifer T.
Jersey City, NJ

What is Your Jack or Hydraulic Problem?



| Product Selector | HJ12 | H60 + bulk |
|---|-------------------------|--|
| | Jack Oil with Stop Leak | Hydraulic Seal Hydraulic Stop Leak & Conditioner |
| Small Oil Leaks – Need to Add Oil 1 X per Month | ✓ | ✓ |
| Medium Oil Leaks – Need to Add Oil 1 X per Week | ✓ | ✓ |
| Noise – Whining and Chatter | | ✓ |
| Extends System Life | ✓ | ✓ |
| Lubricates | | ✓ |
| Protects | | ✓ |
| Reduces Friction & Heat | | ✓ |
| Preventative Maintenance | ✓ | ✓ |
| Reduces Wear | ✓ | ✓ |
| Inhibits Foam | ✓ | ✓ |
| High Dielectric Strength | | ✓ |
| Corrosion Protection | ✓ | ✓ |
| Floor & Bottle Jacks | ✓ | ✓ |

Jack and Hydraulic Products



THANK YOU

Works real good, didn't expect it would I have an old jack sitting around and can't find parts for it for being so old. Thank You!

- Carlos A

P/N HJ12 Jack Oil with Stop Leak

Designed to stop seal and O-ring leaks caused by normal jack wear and age. This product renews old jacks and prevents leaks and seepage on newer jacks. Mixes with all approved hydraulic jack oils, it works in all floor and bottle jacks, and it's non-corrosive, non-clogging and non-foaming.

DOSAGE: One bottle treats 2 to 3 quarts of oil. For larger systems use one bottle for every 2 quarts of oil capacity.

SIZE: 12.5 FL OZ

CASE PACK: 6

WHAT IT DOES:



P/N H60 + bulk Hydraulic Seal Hydraulic Stop Leak & Conditioner

Designed to keep hydraulic seals soft and pliable and reduce friction and wear in hydraulic systems. Our formula cleans and prevents harmful formation of sludge and varnish while helping keep the hydraulic systems run cooler and last longer. Rislone Hydraulic Seal Stop Leak & Conditioner mixes with all factory approved hydraulic fluids and synthetics. Works on all petroleum synthetic fluid, pump seals, control valve seals, actuators, rams, cylinders, O-ring boss hose fitting, and hydrostatic transmission.

DOSAGE: One bottle treats up to 8 gallons (H60); One bottle treats up to 32 gallons (H60-1); One bottle treats up to 160 gallons (H60-5); One bottle treats up to 1760 gallons (H60-55)

SIZE: 32 FL OZ (H60); 1 gal (H60-1); 5 gal (H60-5); 55 gal (H60-55)

CASE PACK: 6 (H60); 4 (H60-1); 1 (H60-5); 1 (H60-55)

WHAT IT DOES:



What is Your Gear Problem?



Product Selector

| | 1816 Axle & Differential Gear Repair | HPL201 Oil Supplement |
|---|--|-----------------------------|
| Differential – <i>Limited Slip, Posi, Open and Electric</i> | ✓ | ✓ |
| Gears – <i>Hypoid, Spider, Worm and Rack</i> | ✓ | ✓ |
| Transfer Case – <i>Gear Oil and ATF Fluid</i> | ✓ | ✓ |
| Manual Transmission – <i>Gear/Engine Oil and ATF Fluid</i> | ✓ | ✓ |
| Hubs – <i>Trailer Oil Bath</i> | ✓ | ✓ |
| Marine – <i>Lower Drive Unit and Stern Drive</i> | ✓ | |
| Leaks – <i>Seals, O-Ring and Gasket Leaks</i> | ✓ | |
| Pinion and Axle Seals | ✓ | |
| Noise – <i>Clunking Gear and Bearing Whine</i> | ✓ | ✓ |
| Sludge Buildup – <i>Reduces Friction</i> | ✓ | |
| Extends Fluid Life | ✓ | ✓ |

Gear Repair Products



P/N 1816 Axle & Differential Gear Repair

Formulated to stop leaks, reduce noise and improve gear performance to extend system life. Works on all gear boxes, differentials, open axles, traction differential, and much more. Stops leaking pinion, shaft, output shaft and other seal types. Safe for use on differential axles (limited slip, drive, open, electric), gears (hypoid, crosshead, worm, rack), transfer case (AWD, 4WD, gear oil, ATF), standard manual transmissions (gear oil, motor oil, ATF), hubs, boats and much more.

DOSAGE: One bottle treats 3 quarts.

SIZE: 16.9 FL OZ

CASE PACK: 4

WHAT IT DOES:



P/N HPL201 Oil Supplement

A extreme pressure lubricant which greatly enhances your oil's ability to cushion and absorb mechanical shock. Will reduce lifter and drivetrain noise and also provides added protection between oil changes and will extend the life of your oil by up to 50%. When used under normal driving conditions you can extend your drain intervals up to a total of 7,500 miles. This product is a 100% Petroleum based formula, will not void new car warranty and compatible with all petroleum and synthetic oils.

DOSAGE: GASOLINE ENGINES (Cars & Light Trucks) Replace 1 quart of oil with 1 quart of Hy-per Lube in 4 to 6 quart systems. Larger systems use 20% by volume. (Up to 2 quarts in worn high mileage engines) **DIESEL ENGINES (Light, Medium & Heavy-Duty)** 10% by volume.

SIZE: 32 FL OZ

CASE PACK: 3

WHAT IT DOES:



Great Stuff!

I have used Hy-Per Lube Oil Supplement for years in my 1981 Fiat Spider.

I used to have oil leaks but no more.

Mixing 1 qt of Hy-Per Lube and 20-50 oil every oil change has solved my leakage problem.

- Dave C

Contact Us

We'd love to hear from you! Don't forget to check out our support section online for product details and technical info.

Bar's Products

P.O. Box 187
Holly, MI 48442

Customer/Technical Support

800-345-6572
info@barsproducts.com

Website

www.barsproducts.com

Social Media



@BarsLeaks / @Rislone



@BarsLeaksUSA / @Rislone



@BarsLeaks / @Rislone



@BarsLeaks / @Rislone_Performance

**Higher
performance.**

**Better fuel
economy.**

**Greater
durability.**

